



THE BEST NAVARA EVER

EXPECT TOUGH, DISCOVER MORE

The all-new, all-capable Nissan Navara is an evolutionary leap in premium all terrain pickup standards, across the board.

Expect unprecedented levels of dynamic styling, luxury interior comfort, the latest in connectivity and all terrain driver safety technology, in a package that honours 85 years of proven LCV heritage.

The new Navara dominates on all terrains, with true off-road capability and on-road performance built in Africa for African conditions.

Welcome to the best Navara ever, a pickup built of more.



PERFORMANCE ON DEMAND

THE POWER TO KEEP **PUSHING FORWARD**

The all-new Navara combines horse power and brain power in a way that gives you the confidence to conquer all rugged terrains, as well as the city streets and wide open roads. Purpose built for unique and unforgiving African conditions, this boldly styled and technologically advanced pickup arrives fully loaded with features to keep you and your loved ones connected, safe and comfortable, no matter where the road takes you.





2.5 DDTI INTERCOOLED TURBO DIESEL ENGINE

2.5 MULTIPOINT MANIFOLD INJECTION PETROL ENGINE

Choose between smooth petrol efficiency or turbo-charged diesel torque, across the Navara range. Various power output engines are now on offer in both petrol and diesel, to suit every leisure or business need. Combined with a 7-speed automatic or a 6-speed manual transmission, you'll be sure to have all the power to load, haul or cruise when you need it most.

Mid Output

POWER 120kW 403Nm

High Output

140kW 450Nm

Mid Output

POWER 118kW

233Nm

High Output POWER

125kW 244Nm

ULTRA-LOW NVH

Improvements in Noise, Vibration and Harshness translate into a noticeably smoother and more refined on-road driving experience.

*AVAILABLE ON SELECTED MODELS.



VEHICLE DYNAMIC CONTROL (VDC)*

Seven Sensors in the Navara monitor driver inputs and vehicle motion, gently aiding the vehicle's ability to stay on the driver's intended path. Vehicle Dynamic Control helps control and limit both understeer and oversteer, maintains optimum traction and even applies brake pressure to reduce wheel slip on loose road surfaces.

ELECTRONIC BRAKE FORCE DISTRIBUTION (EBD) WITH BRAKING ASSIST (BA)

Reduce stopping distances in emergencies by up to 15% with Braking Assist. The Navara detects panic braking and automatically increases pedal pressure for confident, controlled braking to avoid collisions at high speed.

TRAILER STABILITY ASSIST (TSA)*

New to the Nissan Range and standard across all models, TSA inspires towing confidence by detecting any instability, sway or "fishtailing" in the trailer while driving and quickly brings the trailer back into a safe axis.

ROCK SOLID OFF-ROAD CAPABILITY

ANY TERRAIN. ANY TIME.

Take on the most challenging environments that Africa has to offer with ultimate confidence. The latest in electronic driver technology meets decades of hardworking Nissan pickup heritage to create the toughest Navara ever, purpose built to conquer and built to last. The all-new Navara merges capability and sophistication for you to cruise rolling dunes, tackle river crossings with ease or navigate an extreme rocky trail with rock solid confidence.



ON THE FLY 4X4*

Easily shift from 2WD to 4 High thanks to the Navara's On The Fly 4X4 system. Whether it's 4WD High you need for a bit of light off-roading, or 4WD Low for navigating obstacles, deep sand, snow, or mud it's an easy switch. For every day driving, 2WD mode helps keep your trip more fuel-efficient.



HILL DESCENT CONTROL (HDC)*

Hill Descent Control makes going down steep gradients manageable by automatically adjusting your speed and brake pressure to help keep you safely in control, at a constant speed.



HILL START ASSIST (HSA)*

It's never an uphill battle with Hill Start Assist to prevent from rolling backwards on steep inclines.



KNOWLEDGE IS POWER

ADVANCED DRIVER-ASSIST DISPLAY*

It's easy to be in control of the situation with Navara's Advanced Drive-Assist Display. Helping to keep your eyes on the road with less distraction means you're focused and relaxed, whether you're off the beaten track or negotiating city traffic. Navara's ultra-clear 7-inch Advanced Drive-Assist Display puts key information right where you'll want it. With a quick glance down, you have info on everything from music information to navigation directions and other key driver's aid alerts.







NISSAN MOBILITY INTELLIGENT INTEGRATION TECH TO CONNECT WITH INTUITIVE NAVIGATION AND INFOTAINMENT Seamlessly integrate your digital life with the best Navara ever and bring your world on the road with you, wherever you go.

8-INCH TOUCH-SCREEN INFOTAINMENT*

Navara PRO-4X and LE Grade models are equipped with an 8-inch touch-screen display vehicle infotainment.





Equipped with Siri®, Apple CarPlay®** brings on board your contacts, favorite audio apps, Apple Maps® and more.

The driver can use the steering wheel controls to adjust volume and toggle through screens.

- Apple CarPlay® can be used by connecting the lightning cable at one of the USB ports to the iPhone.
- The driver can instantly see all the compatible apps on the display screen such as maps, music and podcasts.
- **Apple CarPlay®** is Plug and Play, which means no additional software is required for your iPhone and all updates reflect in real time for greater convenience.





Helps the driver Navigate, Communicate and entertain in the vehicle.

- Android Auto^{TM**} automatically provides drivers useful information like suggested destinations, upcoming appointments and weather conditions.
- Google Maps** and Waze** allows the driver to get real time alerts of traffic conditions, best routes and even petrol stations on the selected route. The hands-free tech gives voice-guided navigation, live traffic information, lane guidance, and warnings to the driver.
- With on-demand access to 40 million songs,
 Google Play Music allows you to stream virtually endless music and podcasts on the road.
- Google Assistant can read your messages out loud and you can write back by talking. From making calls to using chat apps with just your voice, Android Auto™ makes driving less distracting.

DOOR-TO-DOOR NAVIGATION POWERED BY TOMTOM*

The Nissan Door-to-Door navigation guides the driver from one destination to another, to their vehicle and back. Say goodbye to looking for your vehicle in crowded mall parking lots or events, through seamless integration with your smartphone.

ON-BOARD NAVIGATION*

This feature is perfect for adventure drivers who may not always have access to a phone but still need the convenience of navigation. The built in Navigation in the all-new Nissan Navara allows the driver to select destination address, zoom in and out of the screen to get better perspective and even look for points of interest on the selected route or close by.

^{*}AVAILABLE ON SELECTED MODELS.

^{**}APPLE CARPLAY®, ANDROID AUTO™, GOOGLE MAPS AND WAZE FUNCTIONALITY IS COUNTRY DEPENDANT. CHECK LOCAL MARKET FOR ACTIVATION.

FIRST CLASS FOR ALL

IMPRESSIVE FROM EVERY SEAT

Everyone wins in the all-new Navara. Rear seats provide improved comfort for rear passengers. Higher seat cushions increase the leg room while a rear center armrest with built-in cup holder storage for a mobile phone, add thoughtful conveniences to the comfort. The Navara features rear seat air conditioning ducts and an easy access USB port for the ultimate back seat driver experience.

NOISE REDUCING ACOUSTIC GLASS

FATIGUE REDUCING FRONT SEATS COMFORT REAR SEATING CUSHIONS 8-WAY POWER ADJUSTABLE DRIVERS SEAT (LE Plus & PRO-4X)

REAR PASSENGER AIR-CONDITIONER DUCTS



BEYOND PREMIUM

WORLD CLASS INTERIOR COMFORT

With this much comfort and style, you'll never want to leave. Whether you're clocking up the miles on a long road trip with the family, or doing the every day office city commute, experience perfectly premium in the all-new Nissan Navara. Attention to detail abound with upscale accommodations of unique interior trim, special orange-accented logos and stitching of the PRO-4X logo and anodised black panels. Feel relaxed and protected thanks to noise dampening materials in the windshield, dashboard console and floor. Fatigue-reducing Zero Gravity front seats with leather, complete an SUV-like cabin in a pickup, like never before.





CLEVER COMPARTMENTS

FLEXIBILITY OUT OF THE ORDINARY

Navara maximises storage inside and out. The rear seats feature secure under-seat storage and boast the ability to remain conveniently flipped up to help transport taller items.











*AVAILABLE ON SELECTED MODELS.





AVM WITH OFF-ROAD MODE

On rough terrain, Navara's Intelligent Around View Monitor becomes your extra set of eyes. With a specialized Off-Road Mode activated at slow speeds in 4 LO mode, this advanced driver technology gives you a crystal clear view of the surrounding terrain as you navigate confidently and boldly across any surface type.



AVM WITH MOD

Navara's intelligent cameras are also able to detect moving objects around the vehicle, making it easier and safer to park in tight spaces. Moving Object Detection (MOD) alerts the driver through audible and visual information by displaying a yellow frame where a moving object has been detected, inspiring total driver confidence around every corner.



LEADING DRIVE ANGLES

Generous ground clearance and a wading depth of 600mm means you can keep going when the terrain gets tough. Designed with a superior approach angle of 33° and a departure angle of 27°, tackle steep conditions with the confidence to keep moving forward.



TRAILER HOOK-UP

Having a 360° view is especially useful when connecting to a trailer. Active guidelines help you place your Navara perfectly every time for the perfect trailer hook-up's, especially when there's no one else around to assist.

A BIRD'S EYE VIEW

AROUND VIEW MONITOR*

Experience confidence in the most confined spaces. Around View Monitor technology makes use of four cameras, giving you a complete composite 360° overhead view of every obstacle in your immediate vicinity. Combine that with Navara's efficient steering angles and take on the most challenging tight parking spaces with ease and confidence every time.



Nissan tackles the everyday situations with innovative engineering. The Navara's steering ratios help when changing direction quickly or manoeuvring through tight parking spaces.

NAVARA THE PERFECT BALANCE HAVE IT ALL IN THE NAVARA LE MODEL The all-new stylish Navara LE Model arrives with a bold new masculine design that commands attention everywhere you go. This overachieving all-rounder offers chrome finishes, signature C-Shaped Boomerang Style LED headlamps and 18-inch wheels. Whether you are heading out to a special occasion with friends or family, or leaving the city for an off-road adventure - you are guaranteed to show up in style and get the job done every time.

HARDWORKING AND GOOD LOOKING

ALL THE CAPABILITY WITHOUT ANY COMPROMISE

Gone are the days where a choice has to be made between hardworking and good looking. The all-new Navara boasts extensive range model depth, catering for every driver need and requirement, with several model and grade options across the board. The LE Model offers exceptional levels of bold and dynamic styling, with generous levels of premium interior comfort, safety and connectivity technology; without compromising on tough hardworking credentials to tackle the harshest African conditions.





UTILI-TRACK CHANNEL SYSTEM

Work smarter and not harder in the new Nissan Navara. Ideal for securing your cargo, this practical and innovative cargo system consists of two channels running the length of the pickup bed with four heavy-duty cleats. Position and move stable tie-down points anywhere along the load bed walls for maximum flexibility.

UPGRADED STRENGTH

Special focus has been placed on towing and payload, so the new Navara features a stronger rear axle to allow for heavier loads with even more confidence. To accommodate the more powerful engine plus greater towing and payload capabilities, the rear brake size has been increased to reduce fade and provide more balanced stopping power.





1509mm

1560mm

TAIL GATE OPENING

1358mm



RAISE THE BAR

ENJOY MORE FEATURES IN A PICKUP READY TO WORK

The purpose-built SE Model* offers exceptional levels of bold and dynamic exterior styling, with generous levels of practical interior comfort like electric windows, Bluetooth® radio connectivity and driver safety technology.



A REFINED WORKSPACE

The all-new Navara SE Model offers a cabin workspace environment which boasts levels of comfort beyond the expected. A soft touch steering wheel with multi-function controls, Bluetooth® radio integration and electric windows complete this hardworking, but comfortable package.



BUILT FOR BUSINESS

Special focus has been placed on towing and payload, so the new Navara features a stronger rear axle to allow for heavier loads with even more confidence. To accommodate the more powerful engine plus greater towing and payload capabilities, the rear brake size has been increased to reduce fade and provide more balanced stopping power.



ENGINE POWER

Navara SE Models are powered by reliable and fuel-efficient petrol and diesel engines, paired with all-new 6 speed manual gearboxes to offer low speed torque and high-speed efficiency, wherever the work may take you.



PURPOSE BUILT

A LEGACY OF RELIABILITY YOU CAN TRUST

The all-new Nissan Navara range has more depth and more options than ever before. For true workhorse capability look no further than the XE Model. Bred from legendary Nissan toughness and more than 85 years of proven LCV heritage, the hardworking Navara XE Model exceeds traditional category standards. Expect hard working credentials in a package that's honest and to the point.



READY TO WORK

The Navara XE Model offers impressive category towing and payload figures, as a workhorse that's truly built to do more. Load 1054 kg of payload and haul up to 3.5 tons, under braked towing conditions.



A PRODUCTIVE WORKSPACE

Step into a quieter cabin with minimal vibration and road noise. Experience an ergonomically designed driver cockpit with air-conditioning, power steering and a 6-way driver adjustable front seat. Additional conveniences include USB charging ports, front and rear cup holders as well as storage pockets.



SAFETY FEATURES

In addition to Airbags, Brake Assist and Vehicle Dynamic Control, the all-new Navara XE Plus Model boasts intelligent Trailer Stability Assist and Hill Decent Control for a hard-working pickup that's safer than ever.



A PICKUP RANGE BUILT OF MORE AND READY TO WORK

The all-new Nissan Navara combines legendary Japanese technology, designed and built in Africa for Africa. Enjoy more range depth than ever before, with three purpose-built core models to choose from.

THE NEW NAVARA'S EXPANDED RANGE NOW INCLUDES A SINGLE CAB

Designed to suit your functional needs in whatever hardworking industry or business environment you are in, the all-new Nissan Navara now offers a Single Cab XE and XE Plus Model in both petrol and diesel.

COLOURS



TRIMS

Red (S) - AX6



Forged Copper (M) - CAU

CLOTH SEATS (LE, SE Plus, SE and XE* Plus Single Cab Model)

BLACK LEATHER SEATS (LE Plus Model) *Grey vinyl option available for XE Single Cab only

BLACK LEATHER SEATS (PRO-4X Model)

WHEELS



16" STEEL (SINGLE CAB)



17" STEEL



17" ALLOY



Blue (M) - B16

18" ALLOY (LE Grade)



Warrior Grey (PM) - KBY Available on PRO-2X and PRO-4X only

(PRO-2X and PRO-4X)



| BODY TYPE | Double Cab | INTERIOR AND | Black Interior |
|---------------------|---|--------------|---|
| SEATING CAPACITY | • 5 | CONVENIENCE | Power Leather Se8-Inch Display Au |
| ENGINE | Diesel, Common Rail Direct Injection, 2488 cc Petrol, Multipoint Manifold Injection, 2488 cc | | Voice Recognition Auto™) |
| POWER AND TORQUE | Diesel: 140kW @ 3600 rpm & 450Nm @ 2000 rpm Petrol: 125kW @ 6000 rpm & 244Nm @ 4000 rpm | | Navigation6 SpeakersCruise Control |
| TRANSMISSION | 6 Speed Manual Transmission (Petrol Only) 7 Speed Automatic Transmission | | Auto Air-ConditioAuto Dimming Re |
| WHEELS | • 17" Alloy | | Intelligent Key wit Power Slide Rear |
| EXTERIOR | Body Colour Bumpers Black Coloured Mirrors Black Grill Rear Step Bumper Auto Folding & Electric Adjust Mirrors Black Door Handles LED Headlights & Daytime Running Lights & Fog lamps Roof Rails Black 2 channel Utili-Track™ System on Load Bed | SAFETY | Dual Front, Side, C ABS, EBD, Brake A Vehicle Dynamic Descent Control Trailer Stability As Around View Mon Speed Sensing Do ISOFIX Child Seat |
| | | | |

- Seats
- Audio (AM/FM+ RDS + USB + BT + ion + Apple Carplay® + Andriod
- tioner
- Rear-View Mirror
- with Push Start Button
- ear Screen
- e, Curtain & Driver Knee Airbags
- e Assist
- ic Control, Hill Start Assist & Hill
- Assist
- onitor & Moving Object Detection
- Door Lock
- eat Anchorage













| BODY TYPE | Double Cab |
|---------------------|---|
| SEATING CAPACITY | • 5 |
| ENGINE | Diesel, Common Rail Direct Injection, 2488 ccPetrol, Multipoint Manifold Injection, 2488 cc |
| POWER AND TORQUE | Diesel: 140kW @ 3600 rpm & 450Nm @ 2000 rpm Petrol: 125kW @ 6000 rpm & 244Nm @ 4000 rpm |
| TRANSMISSION | 6 Speed Manual Transmission 7 Speed Automatic Transmission (Diesel Only) |
| WHEELS | - 18" Alloy |
| EXTERIOR | Body Colour Bumpers Body Coloured Mirrors Auto Folding & Electric Adjust Mirrors Chrome Door Handles LED Headlights & Daytime Running Lights & Fog Lamps Roof Rail Silver 2 Channel Utili-Track™ System on Load Bed |


| INTERIOR AND CONVENIENCE | Manual Cloth Seats or Power Leather Seats (Plus model) 8-Inch Display Audio (AM/FM + RDS + USB + BT + Voice recognition + Apple Carplay® + Andriod Auto™) Navigation (Plus Models) 6 Speakers Cruise Control Auto Air-Conditioner Auto Dimming Rear-view Mirror (Plus Models) Intelligent Key with Push Start Button |
|-----------------------------|---|
| SAFETY | Dual Front, Side, Curtain & Driver Knee Airbags ABS, EBD, Brake Assist Vehicle Dynamic Control, Hill Start Assist & Hill Descent Control Trailer Stability Assist Around View Monitor & Moving Object Detection Speed Sensing Door Lock ISOFIX Child Seat Anchorage |













| BODY TYPE | Double Cab |
|---------------------|--|
| SEATING CAPACITY | • 5 |
| ENGINE | Diesel, Common Rail Direct Injection, 2488 cc Petrol, Multipoint Manifold Injection, 2488 cc |
| POWER AND TORQUE | Diesel: 120kW @ 3600 rpm & 403Nm @ 2000 rpm Petrol: 125kW @ 6000 rpm & 244Nm @ 4000 rpm |
| TRANSMISSION | 6 Speed Manual Transmission |
| WHEELS | • 17" Alloy |
| EXTERIOR | Body Colour Bumpers Black Grill Black Coloured Mirrors Auto Folding & Electric Adjust Mirrors Black Door Handles Halogen Headlights 12V Outlet Inside Load Bed |

| INTERIOR AND CONVENIENCE | Manual Cloth Seats Audio - CD, AM/FM, RDS, Bluetooth Connectivity Steering Wheel Controls 4 Speakers Cruise Control (Plus Models) Manual Air-Conditioner Sunglass Holder Manual Slide Rear Screen |
|-----------------------------|--|
| SAFETY | Dual Front Airbags Side, Curtain Driver Knee Airbags (Plus Models) ABS, EBD, Brake Assist Vehicle Dynamic Control, Hill Start Assist Hill Descent Control (4X4 Models) Trailer Stability Assist Speed Sensing Door Lock ISOFIX Child Seat Anchorage |













| BODY TYPE | Double Cab | INTERIOR |
|---------------------|--|----------|
| SEATING CAPACITY | • 5 | CONVENI |
| ENGINE | Diesel, Common Rail Direct Injection, 2488 ccPetrol, Multipoint Manifold Injection, 2488 cc | |
| POWER AND TORQUE | Diesel: 120kW @ 3600 rpm & 403Nm @ 2000 rpm Petrol: 125kW @ 6000 rpm & 244Nm @ 4000 rpm | SAFETY |
| TRANSMISSION | 6 Speed Manual Transmission | |
| WHEELS | • 17" Steel | |
| EXTERIOR | Body Colour Bumpers Black Grill Black Coloured Mirrors Manual Folding & Manual Adjust Mirrors Black Door Handles Halogen Headlights 12V Outlet Inside Load Bed | |

| INTERIOR AND CONVENIENCE | Manual Cloth Seats Without Audio Head Unit (With/Pre-Wire) Rear Seat Armrest with Cup Holders Manual Air-Conditioner Manual Slide Rear Screen |
|-----------------------------|--|
| SAFETY | Dual Front Airbags Side, Curtain Driver Knee Airbags (Plus Models) ABS, EBD, Brake Assist Vehicle Dynamic Control, Hill Start Assist Hill Descent Control (Plus Models) Trailer Stability Assist ISOFIX Child Seat Anchorage Anti-theft system (Immobiliser) Front Brakes - Ventilated Discs |













| BODY TYPE | Single Cab | INT |
|---------------------|---|-----|
| SEATING CAPACITY | • 2 | COI |
| ENGINE | Diesel, Common Rail Direct Injection, 2488 ccPetrol, Multipoint Manifold Injection, 2488 cc | |
| POWER AND TORQUE | Diesel: 120kW @ 3600 rpm & 403Nm @ 2000 rpm Petrol: 118kW @ 6000 rpm & 233Nm @ 4000 rpm | SAF |
| TRANSMISSION | 6 Speed Manual Transmission | |
| WHEELS | - 16" Steel | |
| EXTERIOR | Black Bumpers Black Grill Black Mirrors Manual Folding & Manual Adjust Mirrors Black Door Handles Halogen Headlights | |

| INTERIOR AND CONVENIENCE | Manual Cloth Seats (Plus Models) Front Cup Holders Front Door Storage Pockets & Bottle Holder Without Audio Head Unit (With/Pre-Wire) Manual Air-Conditioner Fixed Rear Screen |
|-----------------------------|---|
| SAFETY | Dual Front Airbags Side, Curtain Driver Knee Airbags (Plus Models) ABS, EBD, Brake Assist Vehicle Dynamic Control, Hill Start Assist Hill Descent Control (Plus Models) Trailer Stability Assist (Plus Models) Anti-theft system (Immobiliser) Front Brakes - Ventilated Discs |











Nissan Navara - 4 Wheel Drive

Specifications & Features

| MODEL - Double Cab | | 2.5i XE 4X4 MT | 2.5i XE Plus 4X4 MT | 2.5D XE 4X4 MT | 2.5D XE Plus 4X4 MT | 2.5i SE 4X4 MT | 2.5i SE Plus 4X4 MT |
|--|---------|--|--|--|--|--|--|
| ENGINE | | | | | | | |
| Engine | | 2.5i High Output | 2.5i High Output | 2.5D Mid Output | 2.5D Mid Output | 2.5i High Output | 2.5i High Output |
| Displacement | сс | 2488 | 2488 | 2488 | 2488 | 2488 | 2488 |
| Number of Cylinders | | 4 | 4 | 4 | 4 | 4 | 4 |
| Bore and Stroke | mm | 89.0 x 100.0 |
| Maximum Power | kW/rpm | 125/6000 | 125/6000 | 120/3600 | 120/3600 | 125/6000 | 125/6000 |
| Maximum Torque | Nm/rpm | 244/4000 | 244/4000 | 403/2000 | 403/2000 | 244/4000 | 244/4000 |
| Fuel Type | | Petrol | Petrol | Diesel | Diesel | Petrol | Petrol |
| Fuel Supply | | Multipoint, Manifold Injection | Multipoint, Manifold Injection | Common Rail Direct Injection | Common Rail Direct Injection | Multipoint, Manifold Injection | Multipoint, Manifold Injection |
| Fuel Tank Capacity | l | 80 | 80 | 80 | 80 | 80 | 80 |
| TRANSMISSION & DRIVE TRAIN | | | | | | | |
| Transmission | | 6-Speed Manual |
| Driven Wheels | | 4WD | 4WD | 4WD | 4WD | 4WD | 4WD |
| Rear Limited Slip Differential | | Std | Std | Std | Std | Std | Std |
| SUSPENSION | | | | | | | |
| Front Suspension | | Independent Double- Wishbone + Stabiliser |
| Rear Suspension | | Leaf Spring |
| WEIGHTS & CAPACITY | | | | | | | |
| Gross Combination Mass (GCM) | kg | 4150 | 4150 | 6130 | 6130 | 4150 | 4150 |
| Gross Vehicle Mass (GVM) | kg | 2750 | 2750 | 3035 | 3035 | 2750 | 2750 |
| Tare Mass | kg | 2671 | 2671 | 2956 | 2956 | 2671 | 2671 |
| Min Kerb Weight | kg | 1930 | 1930 | 2049 | 2049 | 1988 | 1988 |
| Max Kerb Weight | kg | 1937 | 1937 | 2056 | 2056 | 2005 | 2005 |
| Payload | kg | 987 | 987 | 987 | 987 | 920 | 920 |
| Gross Axle Mass (Front - Laden) | kg | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 |
| Gross Axle Mass (Rear - Laden) | kg | 1785 | 1785 | 1785 | 1785 | 1785 | 1785 |
| Maximum Towing Capacity Unbraked | kg | 750 | 750 | 750 | 750 | 750 | 750 |
| Maximum Towing Capacity Braked | kg | 1588 | 1588 | 3500 | 3500 | 1588 | 1588 |
| DIMENSIONS | | | | | | | |
| Overall Length | mm | 5210 | 5210 | 5210 | 5210 | 5210 | 5260 |
| Overall Width (Excluding Mirrors) | mm | 1850 | 1850 | 1850 | 1850 | 1850 | 1850 |
| Overall Height | mm | 1810 | 1810 | 1810 | 1810 | 1810 | 1810 |
| Wheelbase | mm | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 |
| Ground Clearance (Rear Axle) | mm | 223 | 223 | 223 | 223 | 223 | 223 |
| Front Track | mm | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 |
| Rear Track | mm | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 |
| Front Overhang | mm | 885 | 885 | 885 | 885 | 885 | 885 |
| Rear Overhang | mm | 1175 | 1175 | 1175 | 1175 | 1225 | 1175 |
| Turning Circle (Kerb to Kerb) | m | 6,3 | 6,3 | 6,3 | 6,3 | 6,3 | 6,3 |
| Approach Angle | Degrees | 33,0 | 33,0 | 33,0 | 33,0 | 33,0 | 33,0 |
| Departure Angle | Degrees | 27,4 | 27,4 | 27,4 | 27,4 | 27,4 | 24,9 |
| Ramp Break-Over Angle | Degrees | 23,8 | 23,8 | 23,8 | 23,8 | 23,8 | 23,8 |
| 1 | mm | 1509 | 1509 | 1509 | 1509 | 1509 | 1509 |
| Load Box Length - Floor | | .507 | 1507 | .507 | 1507 | | |
| Load Box Length - Floor Load Box Length - Top | mm | 1471 | 1471 | 1471 | 1471 | 1471 | 1471 |

Nissan Navara - 4 Wheel Drive

| 2.5i LE 4X4 MT | 2.5i LE Plus 4X4 MT | 2.5i PRO-4X 4X4 MT | 2.5D LE 4X4 MT | 2.5D LE Plus 4X4 MT | 2.5D LE 4X4 AT | 2.5D LE Plus 4X4 AT | 2.5D PRO-4X 4X4 AT |
|---|--|--|--|--|--|--|--|
| | | | | | | | |
| 2.5i High Output | 2.5i High Output | 2.5i High Output | 2.5D High Output |
| 2488 | 2488 | 2488 | 2488 | 2488 | 2488 | 2488 | 2488 |
| 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 89.0 x 100.0 | 89.0 x 100.0 | 89.0 x 100.0 | 89.0 x 100.0 | 89.0 x 100.0 | 89.0 x 100.0 | 89.0 x 100.0 | 89.0 x 100.0 |
| 125/6000 | 125/6000 | 125/6000 | 140/3600 | 140/3600 | 140/3600 | 140/3600 | 140/3600 |
| 244/4000 | 244/4000 | 244/4000 | 450/2000 | 450/2000 | 450/2000 | 450/2000 | 450/2000 |
| Petrol | Petrol | Petrol | Diesel | Diesel | Diesel | Diesel | Diesel |
| Multipoint, Manifold Injection | Multipoint, Manifold Injection | Multipoint, Manifold Injection | Common Rail Direct Injection | Common Rail Direct Injection | Common Rail Direct Injection | Common Rail Direct Injection | Common Rail Direction |
| 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 |
| | | | | | | | |
| 6-Speed Manual | 6-Speed Manual | 6-Speed Manual | 6-Speed Manual | 6-Speed Manual | 7-Speed Automatic | 7-Speed Automatic | 7-Speed Automatic |
| 4WD | 4WD | 4WD | 4WD | 4WD | 4WD | 4WD | 4WD |
| Std | Std | Std | Std | Std | Std | Std | Std |
| | | | | | | | |
| ndependent Double- Vishbone + Stabiliser | Independent Double- Wishbone + Stabiliser | Independent Double Wishbone + Stabilise |
| Leaf Spring | Leaf Spring | Leaf Spring | Leaf Spring | Leaf Spring | Leaf Spring | Leaf Spring | Leaf Spring |
| | | | | | | | |
| 4150 | 4150 | 4150 | 6130 | 6130 | 6130 | 6130 | 6130 |
| 2750 | 2750 | 2750 | 3035 | 3035 | 3035 | 3035 | 3035 |
| 2671 | 2671 | 2671 | 2956 | 2956 | 2956 | 2956 | 2956 |
| 1988 | 1988 | 1988 | 2105 | 2105 | 2120 | 2120 | 2120 |
| 2005 | 2005 | 2005 | 2121 | 2121 | 2137 | 2137 | 2137 |
| 915 | 915 | 915 | 915 | 915 | 915 | 915 | 915 |
| 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 | 1490 |
| 1850 | 1850 | 1785 | 1785 | 1785 | 1785 | 1785 | 1785 |
| 750 | 750 | 750 | 750 | 750 | 750 | 750 | 750 |
| 1588 | 1588 | 1588 | 3500 | 3500 | 3500 | 3500 | 3500 |
| | | | | | | | |
| 5260 | 5260 | 5260 | 5260 | 5260 | 5260 | 5260 | 5260 |
| 1850 | 1850 | 1875 | 1850 | 1850 | 1850 | 1850 | 1875 |
| 1810 | 1840 | 1840 | 1810 | 1840 | 1810 | 1840 | 1840 |
| 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 |
| 223 | 223 | 223 | 223 | 223 | 223 | 223 | 223 |
| 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 |
| 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 | 1570 |
| | | | | | | | |
| 885 | 885 | 885 | 885 | 885 | 885 | 885 | 885 |
| 1225 | 1225 | 1225 | 1225 | 1225 | 1225 | 1225 | 1225 |
| 6,3 | 6,3 | 6,3 | 6,3 | 6,3 | 6,3 | 6,3 | 6,3 |
| 33,0 | 33,0 | 33,0 | 33,0 | 33,0 | 33,0 | 33,0 | 33,0 |
| 24,9 | 24,9 | 24,9 | 24,9 | 24,9 | 24,9 | 24,9 | 24,9 |
| 23,8 | 23,8 | 23,8 | 23,8 | 23,8 | 23,8 | 23,8 | 23,8 |
| 1509 | 1509 | 1509 | 1509 | 1509 | 1509 | 1509 | 1509 |
| | | i e | | | | | |

Specifications & Features

Nissan Na

Std

2

Std

Std

Std

2

3 Std

Std

Holder Sunglass Holder

USB Port

Air-Conditioning

Down Button

Rear Seat Aarmrest with Cup Holders

Rear Air Vents in Centre Console

Power Windows with Driver Auto Up/

12V Outlet Inside Cabin

| MODEL - Double Cab | | 2.5i XE 4X4 MT | 2.5i XE Plus 4X4 MT | 2.5D XE 4X4 MT | 2.5D XE Plus 4X4 MT | 2.5i SE 4X4 MT | 2.5i SE Plus 4X4 MT |
|---|----|------------------------------------|------------------------------------|------------------------------------|------------------------------------|---------------------------------|---------------------------------|
| DIMENSIONS (Continued) | | | | | | | |
| Load Box Width - Top | mm | 1492 | 1492 | 1492 | 1492 | 1492 | 1492 |
| Load Box Width - Between Wheel Arches | mm | 1134 | 1134 | 1134 | 1134 | 1134 | 1134 |
| Load Box Width - Tailgate Opening | mm | 1358 | 1358 | 1358 | 1358 | 1358 | 1358 |
| Load Box Height | mm | 493-500 | 493-500 | 493-500 | 493-500 | 493-500 | 493-500 |
| Wading Depth | mm | 600 | 600 | 600 | 600 | 600 | 600 |
| WHEELS & TYRES | | | | | | | |
| Wheel Size and Type | | 17" Steel | 17" Steel | 17" Steel | 17" Steel | 17" Steel | 17" Alloy |
| Tyre | | 255/65 R17 AT | 255/65 R17 AT | 255/65 R17 AT | 255/65 R17 AT | 255/65 R17 AT | 255/65 R17 AT |
| Spare Wheel | | Full Size Steel | Full Size Steel | Full Size Steel | Full Size Steel | Full Size Steel | Full Size Steel |
| Spare Wheel Lock | | Option | Option | Option | Option | Option | Option |
| EXTERIOR | | | | | | | |
| Grill | | Black | Black | Black | Black | Black | Black |
| Front Bumper | | Body Coloured | Body Coloured | Body Coloured | Body Coloured | Body Coloured | Body Coloured |
| Rear Bumper | | - | - | - | - | - | Body Coloured |
| Side Steps | | - | - | - | - | - | Black |
| Over-Fender | | - | - | - | - | - | - |
| Roof Rails | | - | - | - | - | - | - |
| Door Mirror Finish | | Black | Black | Black | Black | Black | Black |
| Door Mirrors | | Manual Adjustment + Manual Fold | Power Adjustment + Auto Fold | Power Adjustment + Auto Fold |
| Door Handles | | Black | Black | Black | Black | Black | Black |
| Front and Rear Mud Flaps | | Std | Std | Std | Std | Std | Std |
| Front Towing Hook | | Std | Std | Std | Std | Std | Std |
| Headlights | | Halogen | Halogen | Halogen | Halogen | Halogen | Halogen |
| Fog Lights | | - | - | - | - | - | - |
| Daytime Running Lights | | - | - | - | - | - | - |
| 2 Channel Utili-Track™ System | | - | - | - | - | - | - |
| 12V Outlet Inside Load Box | | Std | Std | Std | Std | Std | Std |
| COMFORT & CONVENIENCE | | | | | | | |
| Seating Capacity | | 5 | 5 | 5 | 5 | 5 | 5 |
| Front Seat Type | | Separate Seat | Separate Seat | Separate Seat | Separate Seat | Separate Seat | Separate Seat |
| Driver Seat Adjustment | | 6-Way Manual | 6-Way Manual | 6-Way Manual | 6-Way Manual | 6-Way Manual | 6-Way Manual |
| Passenger Seat Adjustment | | 4-Way Manual | 4-Way Manual | 4-Way Manual | 4-Way Manual | 4-Way Manual | 4-Way Manual |
| Seat Upholstery | | Fabric | Fabric | Fabric | Fabric | Fabric | Fabric |
| Floor Material | | Carpet | Carpet | Carpet | Carpet | Carpet | Carpet |
| Front Cup Holders | | 2 | 2 | 2 | 2 | 2 | 2 |
| Front Door Storage Pockets and Bottle Holder | | 2 | 2 | 2 | 2 | 2 | 2 |
| Rear Door Storage Pockets and Bottle Holder | | 2 | 2 | 2 | 2 | 2 | 2 |

Std

2

Std

Std

Std

2

Std

Std

Std

Std

2

Std

Std

Std

Std

Std

Std

Std

Std

/ Nulla a al Disi

| 2.5i LE 4X4 MT | 2.5i LE Plus 4X4 MT | 2.5i PRO-4X 4X4 MT | 2.5D LE 4X4 MT | 2.5D LE Plus 4X4 MT | 2.5D LE 4X4 AT | 2.5D LE Plus 4X4 AT | 2.5D PRO-4X 4X4 AT |
|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| | | | | | | | |
| 1492 | 1492 | 1492 | 1492 | 1492 | 1492 | 1492 | 1492 |
| 1134 | 1134 | 1134 | 1134 | 1134 | 1134 | 1134 | 1134 |
| 1358 | 1358 | 1358 | 1358 | 1358 | 1358 | 1358 | 1358 |
| 493-500 | 493-500 | 493-500 | 493-500 | 493-500 | 493-500 | 493-500 | 493-500 |
| 600 | 600 | 600 | 600 | 600 | 600 | 600 | 600 |
| | | | | | | | |
| 18" Alloy | 18" Alloy | 17" Alloy | 18" Alloy | 18" Alloy | 18" Alloy | 18" Alloy | 17" Alloy |
| 255/60 R18 HT | 255/60 R18 HT | 255/65 R17 AT | 255/60 R18 HT | 255/60 R18 HT | 255/60 R18 HT | 255/60 R18 HT | 255/65 R17 AT |
| Full Size Alloy |
| Option |
| | | | | | | | |
| Chrome | Chrome | Black | Chrome | Chrome | Chrome | Chrome | Black |
| Body Coloured |
| Body Coloured |
| Silver | Silver | Black | Silver | Silver | Silver | Silver | Black |
| - | - | Black | - | - | - | - | Black |
| | Silver | Black | - | Silver | - | Silver | Black |
| Body Coloured | Body Coloured | Black | Body Coloured | Body Coloured | Body Coloured | Body Coloured | Black |
| Power Adjustment + Auto Fold |
| Chrome | Chrome | Black | Chrome | Chrome | Chrome | Chrome | Black |
| Std |
| Std |
| LED + Auto + Follow Me Home |
| Std |
| Std |
| Std |
| Std |
| - | 5 | - | 5 | 5 | 5 | - | - |
| 5 Separate Seat | Separate Seat | 5 Separate Seat | Separate Seat | Separate Seat | Separate Seat | 5 Separate Seat | 5 Separate Seat |
| 6-Way Manual | 8-Way Power | 8-Way Power | 6-Way Manual | 8-Way Power | 6-Way Manual | 8-Way Power | 8-Way Power |
| 4-Way Manual |
| Fabric | Leather | Leather | Fabric | Leather | Fabric | Leather | Leather |
| Carpet |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Std |
| Std |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| Dual Zone AT |
| Std |
| Std |

Nissan Navara - 4 Wheel Drive

Specifications & Features

Nissan Navara - 4 Wheel Drive Specifications & Features

| MODEL - Double Cab | 2.5i XE 4X4 MT | 2.5i XE Plus 4X4 MT | 2.5D XE 4X4 MT | 2.5D XE Plus 4X4 MT | 2.5i SE 4X4 MT | 2.5i SE Plus 4X4 MT |
|---|---------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| COMFORT & CONVENIENCE (Continued) | | | | | | |
| Rear Screen | Manual Slide | Manual Slide | Manual Slide | Manual Slide | Manual Slide | Manual Slide |
| Central Locking | - | - | - | - | Std | Std |
| Speed Sensing Auto Door Lock | - | - | - | - | Std | Std |
| Intelligent Key with Keyless Entry and Push Start Button | - | - | - | - | - | - |
| Auto Dimming Rear View Mirror | - | - | - | - | - | - |
| AUDIO & CONNECTIVITY | | | | | | |
| Audio - CD, AM/FM, RDS, Bluetooth Connectivity | - | - | - | - | Std | Std |
| W2DIN Audio (CD + AM + FM) | - | - | - | - | - | - |
| Audio Harness/Wiring | - | - | - | - | Std | Std |
| Steering Wheel Controls | - | - | - | - | Std | Std |
| Nissan Connect (with Android Auto™ and Apple Car Play®) | - | - | - | - | - | - |
| 8" Touch Screen Display | - | - | - | - | - | - |
| Navigation | - | - | - | - | - | - |
| SAFETY & SECURITY | | | | | | |
| Driver and Front Passenger Airbags | Std | Std | Std | Std | Std | Std |
| Side Airbags | - | Std | - | Std | - | Std |
| Curtain Airbags | - | Std | - | Std | - | Std |
| Driver Knee Airbag | - | Std | - | Std | - | Std |
| Front Seat Belts 3-Point ELR with Pre-Tensioner, Load Limiter and Seatbelt Reminder | Std | Std | Std | Std | Std | Std |
| Rear Seat Belts (3) 3-Point ELR | Std | Std | Std | Std | Std | Std |
| ISOFIX Child Seat Anchorage | Std | Std | Std | Std | Std | Std |
| Anti-Theft System (Immobiliser) | Std | Std | Std | Std | Std | Std |
| Alarm | - | - | - | - | Std | Std |
| Anti-Lock Braking System (ABS) | Std | Std | Std | Std | Std | Std |
| Electronic Brake Force Distribution (EBD) | Std | Std | Std | Std | Std | Std |
| Brake Assist (BA) | Std | Std | Std | Std | Std | Std |
| Vehicle Dynamic Control (VDC) | - | Std | - | Std | Std | Std |
| Trailer Stability Assist (TSA) | - | Std | - | Std | Std | Std |
| Hill Start Assist (HSA) | - | Std | - | Std | Std | Std |
| Hill Descent Control (HDC) | - | Std | - | Std | Std | Std |
| Around View Monitor with Moving Object Detection | - | - | - | - | - | - |
| Reverse Camera and Sensors | - | - | - | - | - | - |
| Cruise Control | - | - | - | - | - | Std |
| Front Brakes - Ventilated Discs | Std | Std | Std | Std | Std | Std |
| Rear Brakes - Drum | Std | Std | Std | Std | Std | Std |
| Windscreen Wipers | Variable Intermittent | Variable Intermittent |
| SERVICE | | | | | | |
| Service Interval | 5,000 km | 5,000 km | 5,000 km | 5,000 km | 5,000 km | 5,000 km |

| 2.5i LE 4X4 MT | 2.5i LE Plus 4X4 MT | 2.5i PRO-4X 4X4 MT | 2.5D LE 4X4 MT | 2.5D LE Plus 4X4 MT | 2.5D LE 4X4 AT | 2.5D LE Plus 4X4 AT | 2.5D PRO-4X 4X4 A |
|---------------------------------------|--|--|--|--|--|--|-------------------------------------|
| | | | | | | | |
| Manual Slide | Manual Slide | Power Sliding | Manual Slide | Manual Slide | Manual Slide | Manual Slide | Power Sliding |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| - | Std | Std | - | Std | - | Std | Std |
| | | | | | | | |
| Std | Std | Std | Std | Std | Std | Std | Std |
| - | - | - | - | - | - | - | - |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| - | Std | Std | - | Std | - | Std | Std |
| | | | | | | | |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| - | Std | Std | - | Std | - | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| - | Std | Std | - | Std | - | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| Std | Std | Std | Std | Std | Std | Std | Std |
| ariable Intermittent, Rain Sensing | Variable Intermitte Rain Sensing |
| | | | | | | | |
| 5,000 km | 5,000 km | 5,000 km | 5,000 km | 5,000 km | 5,000 km | 5,000 km | Std |

Nissan Navara - 2 Wheel Drive

| S | ре | cifi | cat | ions | 5 & | Fe | at | ur | es |
|---|----|------|-----|------|-----|----|----|----|----|
|---|----|------|-----|------|-----|----|----|----|----|

| MODEL - Double Cab | | 2.5i SE 4X2 MT | 2.5i SE Plus 4X2 MT | 2.5D SE 4X2 MT | 2.5D SE Plus 4X2 MT |
|-----------------------------------|---------|---|---|---|---|
| ENGINE | | | | | |
| Engine | | 2.5i Low Output | 2.5i Low Output | 2.5D Mid Output | 2.5D Mid Output |
| Displacement | сс | 2488 | 2488 | 2488 | 2488 |
| Number of Cylinders | | 4 | 4 | 4 | 4 |
| Bore and Stroke | mm | 89.0 x 100.0 | 89.0 x 100.0 | 89.0 x 100.0 | 89.0 x 100.0 |
| Maximum Power | kW/rpm | 118/6000 | 118/6000 | 120/3600 | 120/3600 |
| Maximum Torque | Nm/rpm | 233/4000 | 233/4000 | 403/2000 | 403/2000 |
| Fuel Type | | Petrol | Petrol | Diesel | Diesel |
| Fuel Supply | | Multipoint, Manifold Injection | Multipoint, Manifold Injection | Common Rail Direct Injection | Common Rail Direct Injection |
| Fuel Tank Capacity | ę | 80 | 80 | 80 | 80 |
| TRANSMISSION & DRIVE TRAIN | | | | | |
| Transmission | | 6-Speed Manual | 6-Speed Manual | 6-Speed Manual | 6-Speed Manual |
| Driven Wheels | | 2WD | 2WD | 2WD | 2WD |
| Rear Limited Slip Differential | | Std | Std | Std | Std |
| SUSPENSION | | | | | |
| Front Suspension | | Independent Double-Wishbone + Stabiliser | Independent Double-Wishbone + Stabiliser | Independent Double-Wishbone + Stabiliser | Independent Double-Wishbone + Stabiliser |
| Rear Suspension | | Leaf Spring | Leaf Spring | Leaf Spring | Leaf Spring |
| WEIGHTS & CAPACITY | | | | | |
| Gross Combination Mass (GCM) | kg | 4150 | 4150 | 6130 | 6130 |
| Gross Vehicle Mass (GVM) | kg | 2750 | 2750 | 3035 | 3035 |
| Tare Mass | kg | 2671 | 2671 | 2956 | 2956 |
| Min Kerb Weight | kg | 1862 | 1862 | 1978 | 1978 |
| Max Kerb Weight | kg | 1898 | 1898 | 2014 | 2014 |
| Payload | kg | 1057 | 1057 | 1057 | 1057 |
| Gross Axle Mass (Front - Laden) | kg | 1490 | 1490 | 1490 | 1490 |
| Gross Axle Mass (Rear - Laden) | kg | 1785 | 1785 | 1785 | 1785 |
| Maximum Towing Capacity Unbraked | kg | 750 | 750 | 750 | 750 |
| Maximum Towing Capacity Braked | kg | 1588 | 1588 | 3500 | 3500 |
| DIMENSIONS | | | | | |
| Overall Length | mm | 5210 | 5260 | 5210 | 5260 |
| Overall Width (Excluding Mirrors) | mm | 1850 | 1850 | 1850 | 1850 |
| Overall Height | mm | 1805 | 1805 | 1805 | 1805 |
| Wheelbase | mm | 3150 | 3150 | 3150 | 3150 |
| Ground Clearance (Rear Axle) | mm | 223 | 223 | 223 | 223 |
| Front Track | mm | 1570 | 1570 | 1570 | 1570 |
| Rear Track | mm | 1570 | 1570 | 1570 | 1570 |
| Front Overhang | mm | 885 | 885 | 885 | 885 |
| Rear Overhang | mm | 1175 | 1225 | 1175 | 1225 |
| Turning Circle (Kerb to Kerb) | m | 6,3 | 6,3 | 6,3 | 6,3 |
| Approach Angle | Degrees | 31,8 | 31,8 | 31,8 | 31,8 |
| Departure Angle | - | 27,6 | 25,1 | | 25,1 |
| Ramp Break-Over Angle | Degrees | | | 27,6 | |
| | Degrees | 23,2 | 23,2 | 23,2 | 23,2 |
| Load Box Length - Floor | mm | 1509 | 1509 | 1509 | 1509 |
| Load Box Length - Top | mm | 1471 | 1471 | 1471 | 1471 |
| Load Box Width - Floor | mm | 1560 | 1560 | 1560 | 1560 |

Nissan Navara - 2 Wheel Drive

| Specifications | & | Features |
|----------------|---|----------|
|----------------|---|----------|

| MODEL - Double Cab | | 2.5i SE 4X2 MT | 2.5i SE Plus 4X2 MT | 2.5D SE 4X2 MT | 2.5D SE Plus 4X2 MT |
|---|----|--------------------------------|--------------------------------|------------------------------|------------------------------|
| DIMENSIONS (Continued) | | | | | |
| Load Box Width - Top | mm | 1492 | 1492 | 1492 | 1492 |
| Load Box Width - Between Wheel Arches | mm | 1134 | 1134 | 1134 | 1134 |
| Load Box Width - Tailgate Opening | mm | 1358 | 1358 | 1358 | 1358 |
| Load Box Height | mm | 493-500 | 493-500 | 493-500 | 493-500 |
| Wading Depth | mm | 600 | 600 | 600 | 600 |
| WHEELS & TYRES | | | | | |
| Wheel Size and Type | | 17" Steel | 17" Alloy | 17" Steel | 17" Alloy |
| Tyre | | 255/65 R17 AT | 255/65 R17 AT | 255/65 R17 AT | 255/65 R17 AT |
| Spare Wheel | | Full Size Steel | Full Size Steel | Full Size Steel | Full Size Steel |
| Spare Wheel Lock | | Option | Option | Option | Option |
| EXTERIOR | | · | | | |
| Grill | | Black | Black | Black | Black |
| Front Bumper | | Body Coloured | Body Coloured | Body Coloured | Body Coloured |
| Rear Bumper | | | Body Coloured Body Coloured | - | Body Coloured |
| Side Steps | | <u>-</u> | Black | - | Black |
| Over-Fender | | <u>-</u> | - DidCk | - | - Black |
| Roof Rails | | <u>-</u> | - | - | <u>-</u> |
| Door Mirror Finish | | Black | Black | Black | Black |
| Door Mirrors | | Power Adjustment + Manual Fold | Power Adjustment + Manual Fold | Power Adjustment + Auto Fold | Power Adjustment + Auto Fold |
| Door Handles | | Black | Black | Black | Black |
| Front and Rear Mud Flaps | | Std | Std | Std | Std |
| Front Towing Hook | | Std | Std | Std | Std |
| Headlights | | Halogen | Halogen | Halogen | Halogen |
| Fog Lights | | - | - | - | - |
| Daytime Running Lights | | _ | _ | _ | - |
| 2 Channel Utili-Track™ System | | _ | _ | _ | _ |
| 12V Outlet Inside Load Box | | Std | Std | Std | Std |
| COMFORT & CONVENIENCE | | Std | 3.0 | 3.0 | 314 |
| | | - | - | - | - |
| Seating Capacity | | 5 | 5 | 5 | 5 |
| Front Seat Type | | Separate Seat | Separate Seat | Separate Seat | Separate Seat |
| Driver Seat Adjustment | | 6-Way Manual | 6-Way Manual | 6-Way Manual | 6-Way Manual |
| Passenger Seat Adjustment | | 4-Way Manual | 4-Way Manual | 4-Way Manual | 4-Way Manual |
| Seat Upholstery | | Fabric | Fabric | Fabric | Fabric |
| Floor Material | | Carpet | Carpet | Carpet | Carpet |
| Front Cup Holders | | 2 | 2 | 2 | 2 |
| Front Door Storage Pockets and Bottle Holder | | 2 | 2 | 2 | 2 |
| Rear Door Storage Pockets and Bottle Holder | | 2 | 2 | 2 | 2 |
| Sunglass Holder | | Std | Std | Std | Std |
| Rear Seat Aarmrest with Cup Holders | | Std | Std | Std | Std |
| 12V Outlet Inside Cabin | | 2 | 2 | 2 | 2 |
| USB Port | | 3 | 3 | 3 | 3 |
| Air-Conditioning | | Std | Std | Std | Std |
| Rear Air Vents in Centre Console | | Std | Std | Std | Std |
| Power Windows with Driver Auto Up/ | | | | | |

Nissan Navara - 2 Wheel Drive

Specifications & Features

| MODEL - Double Cab | 2.5i SE 4X2 MT | 2.5i SE Plus 4X2 MT | 2.5D SE 4X2 MT | 2.5D SE Plus 4X2 MT |
|---|-----------------------|-----------------------|-----------------------|-----------------------|
| COMFORT & CONVENIENCE (Continued) | | | | |
| Rear Screen | Manual Slide | Manual Slide | Manual Slide | Manual Slide |
| Central Locking | Std | Std | Std | Std |
| Speed Sensing Auto Door Lock | Std | Std | Std | Std |
| Intelligent Key with Keyless Entry and Push Start Button | - | - | - | - |
| Auto Dimming Rear View Mirror | - | - | - | - |
| AUDIO & CONNECTIVITY | | | | |
| Audio - CD, AM/FM, RDS, Bluetooth Connectivity | Std | Std | Std | Std |
| W2DIN Audio (CD + AM + FM) | - | - | - | - |
| Audio Harness/Wiring | Std | Std | Std | Std |
| Steering Wheel Controls | Std | Std | Std | Std |
| Nissan Connect (with Android Auto™ and Apple Car Play®) | - | - | - | - |
| 8" Touch Screen Display | - | - | - | - |
| Navigation | - | - | - | - |
| SAFETY & SECURITY | | | | |
| Driver and Front Passenger Airbags | Std | Std | Std | Std |
| Side Airbags | - | Std | - | Std |
| Curtain Airbags | - | Std | - | Std |
| Driver Knee Airbag | - | Std | - | Std |
| Front Seat Belts 3-Point ELR with Pre-Tensioner, Load Limiter and Seatbelt Reminder | Std | Std | Std | Std |
| Rear Seat Belts (3) 3-Point ELR | Std | Std | Std | Std |
| ISOFIX Child Seat Anchorage | Std | Std | Std | Std |
| Anti-Theft System (Immobiliser) | Std | Std | Std | Std |
| Alarm | Std | Std | Std | Std |
| Anti-Lock Braking System (ABS) | Std | Std | Std | Std |
| Electronic Brake Force Distribution (EBD) | Std | Std | Std | Std |
| Brake Assist (BA) | Std | Std | Std | Std |
| Vehicle Dynamic Control (VDC) | Std | Std | Std | Std |
| Trailer Stability Assist (TSA) | Std | Std | Std | Std |
| Hill Start Assist (HSA) | Std | Std | Std | Std |
| Hill Descent Control (HDC) | - | - | - | - |
| Around View Monitor with Moving Object Detection | - | - | - | - |
| Reverse Camera and Sensors | - | - | - | - |
| Cruise Control | - | Std | - | Std |
| Front Brakes - Ventilated Discs | Std | Std | Std | Std |
| Rear Brakes - Drum | Std | Std | Std | Std |
| Windscreen Wipers | Variable Intermittent | Variable Intermittent | Variable Intermittent | Variable Intermittent |
| SAFETY & SECURITY | | | | |
| Service Interval | 5,000 km | 5,000 km | 5,000 km | 5,000 km |

Nissan Navara - 2 & 4 Wheel Drive

| Profess Pro | MODEL - Single Cab | | 2.5i XE 4X2 MT | 2.5i XE Plus 4X2 MT | 2.5D XE 4X2 MT | 2.5D XE Plus 4X2 MT | 2.5D XE 4X4 MT | 2.5D XE Plus 4X4 MT |
|--|-----------------------------------|---------|-----------------|---------------------|-----------------|---------------------|-----------------|---------------------|
| Deplet certain Sect | ENGINE | | | | | | | |
| Marchand Scylinders | Engine | | 2.5i Low Output | 2.5i Low Output | 2.5D Mid Output | 2.5D Mid Output | 2.5D Mid Output | 2.5D Mid Output |
| Bee and State | Displacement | сс | 2488 | 2488 | 2488 | 2488 | 2488 | 2488 |
| Manuma Proper Manuma Prope | Number of Cylinders | | 4 | 4 | 4 | 4 | 4 | 4 |
| Manifum Torque | Bore and Stroke | mm | 89.0 x 100.0 | 89.0 x 100.0 | 89.0 x 100.0 | 89.0 x 100.0 | 89.0 x 100.0 | 89.0 x 100.0 |
| Public Name | Maximum Power | kW/rpm | 118/6000 | 118/6000 | 120/3600 | 120/3600 | 120/3600 | 120/3600 |
| Pure Supply | Maximum Torque | Nm/rpm | 233/4000 | 233/4000 | 403/2000 | 403/2000 | 403/2000 | 403/2000 |
| Part | Fuel Type | | Petrol | Petrol | Diesel | Diesel | Diesel | Diesel |
| Transmission | Fuel Supply | | | | | | | |
| Transmission Parameter | Fuel Tank Capacity | ę | 80 | 80 | 80 | 80 | 80 | 80 |
| Private Priv | TRANSMISSION & DRIVE TRAIN | | | | | | | |
| Profit Suspension Profit Suspension Profit Suspension Independent Double Windoone Stabiliser Windoone Stabiliser Windoone Stabiliser Windoone Stabil | Transmission | | 6-Speed Manual | 6-Speed Manual | 6-Speed Manual | 6-Speed Manual | 6-Speed Manual | 6-Speed Manual |
| Front Suspension Independent Doublew Wishbors 1 Stabilism Wishbors 1 Stabi | Driven Wheels | | 2WD | 2WD | 2WD | 2WD | 4WD | 4WD |
| Front Subpersion (wishbone stabilise) (wishbone sta | SUSPENSION | | | | | | | |
| Wildfalts & CANCITY Kg 6130 7000 7000 7000 2880 2880 2880 2980 2980 2980 2980 2980 2980 2980 2980 1980 <td>Front Suspension</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | Front Suspension | | | | | | | |
| Gross Combination Mass (CCM) kg 6130 <th< td=""><td>Rear Suspension</td><td></td><td>Leaf Spring</td><td>Leaf Spring</td><td>Leaf Spring</td><td>Leaf Spring</td><td>Leaf Spring</td><td>Leaf Spring</td></th<> | Rear Suspension | | Leaf Spring | Leaf Spring | Leaf Spring | Leaf Spring | Leaf Spring | Leaf Spring |
| Gross vehicle Mass (CVM) kg 2950 2950 2950 2950 3000 3000 Tare Mass kg 2680 2680 2880 2880 2930 2930 Max Kerb Weight kg 1685 1685 1891 1891 1895 1895 Max Kerb Weight kg 1706 1706 1822 1822 1906 1906 Payload kg 1710 1710 1822 1822 1920 1152 1152 Gross Akel Mass (Fornt - Laden) kg 1320 1320 1320 1320 1320 1320 1320 1320 1320 1785 1780 1780 1780 1780 1780 1780 1780 1780 1780 1780 1780 1780 | WEIGHTS & CAPACITY | | | | | | | |
| Tark Mess 1g 2680 2680 2880 2880 2930 2930 Min Kerb Weight 1g 1685 1685 1891 1801 1801 1895 1885 Max Kerb Weight 1g 1706 1706 1822 1822 1906 1906 Max Kerb Weight 1g 1706 1706 1822 1822 1926 1922 Gross Avide Mass (Front - Laden) 1g 1320 <td< td=""><td>Gross Combination Mass (GCM)</td><td>kg</td><td>6130</td><td>6130</td><td>6130</td><td>6130</td><td>6130</td><td>6130</td></td<> | Gross Combination Mass (GCM) | kg | 6130 | 6130 | 6130 | 6130 | 6130 | 6130 |
| Min Kerb Weight Kg 1685 1685 1801 1801 1885 1885 Max Kerb Weight kg 1706 1706 1822 1822 1926 1906 1906 Payload kg 1111 1111 1182 1182 1152 1152 1152 Cross Ade Mass (Feor - Laden) kg 1320 1690 1690 1785 1780 | Gross Vehicle Mass (GVM) | kg | 2950 | 2950 | 2950 | 2950 | 3000 | 3000 |
| Max Kerb Weight lig 1706 1706 1822 1822 1822 1906 1906 Payload lkg 1111 1111 1182 1182 1152 1152 Gross Akle Mass (Front - Laden) lkg 1320 | Tare Mass | kg | 2680 | 2680 | 2880 | 2880 | 2930 | 2930 |
| Payload kg 1111 1111 1182 1182 1182 1152 1152 Cross Akle Mass (Front - Laden) kg 1320 <t< td=""><td>Min Kerb Weight</td><td>kg</td><td>1685</td><td>1685</td><td>1801</td><td>1801</td><td>1885</td><td>1885</td></t<> | Min Kerb Weight | kg | 1685 | 1685 | 1801 | 1801 | 1885 | 1885 |
| Cross Axle Mass (Front - Laden) kg 1320 | Max Kerb Weight | kg | 1706 | 1706 | 1822 | 1822 | 1906 | 1906 |
| Gross Akle Mass (Rear - Laden) kg 1690 1690 1785 1785 1785 1785 1785 Maximum Towing Capacity Unbraked kg 750 | Payload | kg | 1111 | 1111 | 1182 | 1182 | 1152 | 1152 |
| Meximum Towing Capacity Unbraked kg 750 | Gross Axle Mass (Front - Laden) | kg | 1320 | 1320 | 1320 | 1320 | 1320 | 1320 |
| Maximum Towing Capacity Braked kg 1588 1588 3500 3500 3500 3500 DIMENSIONS Overall Length mm 5235 5235 5235 5235 5235 5335 Overall Width (Excluding Mirrors) mm 1790 1750 1750 1750 1750 < | Gross Axle Mass (Rear - Laden) | kg | 1690 | 1690 | 1785 | 1785 | 1785 | 1785 |
| DMENSIONS Overall Length mm 5235 5235 5235 5235 5235 5335 Overall Width (Excluding Mirrors) mm 1790 < | Maximum Towing Capacity Unbraked | kg | 750 | 750 | 750 | 750 | 750 | 750 |
| Overall Length mm 5235 5235 5235 5235 5235 5335 Overall Width (Excluding Mirrors) mm 1790 | Maximum Towing Capacity Braked | kg | 1588 | 1588 | 3500 | 3500 | 3500 | 3500 |
| Overall Width (Excluding Mirrors) mm 1790 | DIMENSIONS | | | | | | | |
| Overall Height mm 1755 1755 1755 1755 1760 1760 Wheelbase mm 3150 | Overall Length | mm | 5235 | 5235 | 5235 | 5235 | 5235 | 5335 |
| Wheelbase mm 3150 | Overall Width (Excluding Mirrors) | mm | 1790 | 1790 | 1790 | 1790 | 1790 | 1790 |
| Cround Clearance (Rear Axle) mm 214< | Overall Height | mm | 1755 | 1755 | 1755 | 1755 | 1760 | 1760 |
| Front Track mm 1550 | Wheelbase | mm | 3150 | 3150 | 3150 | 3150 | 3150 | 3150 |
| Rear Track mm 1550 1560 1560 1560 1560 1560 1560 1560 1560 1560 1560 1560 1560 1560 1560 1560 | Ground Clearance (Rear Axle) | mm | 214 | 214 | 214 | 214 | 214 | 214 |
| Front Overhang mm 885 885 885 885 885 885 885 Rear Overhang mm 1200 60 60 60 60 60 60 60 60 60 60 60 60 266 266 266 266 266 266 266 222 222< | Front Track | mm | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 |
| Rear Overhang mm 1200 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7. | Rear Track | mm | 1550 | 1550 | 1550 | 1550 | 1550 | 1550 |
| Turning Circle (Kerb to Kerb) m 6,0 6,0 6,0 6,0 6,0 6,0 6,0 6,0 6,0 6,0 | Front Overhang | mm | 885 | 885 | 885 | 885 | 885 | 885 |
| Approach Angle Degrees 30,7 30,7 30,7 30,7 31,8 31,8 Departure Angle Degrees 26,6 26,6 26,6 26,6 26,3 26,3 Ramp Break-Over Angle Degrees 22,2 22,2 22,2 22,2 22,2 22,2 22,2 22,8 22,8 Load Box Length - Floor mm 2353 2353 2353 2353 2353 2353 2353 Load Box Length - Top mm 2311 2311 2311 2311 2311 2311 2311 Load Box Width - Floor mm 1560 1560 1560 1560 1560 1560 | Rear Overhang | mm | 1200 | 1200 | 1200 | 1200 | 1200 | 1200 |
| Departure Angle Degrees 26,6 26,6 26,6 26,6 26,6 26,3 26,3 Ramp Break-Over Angle Degrees 22,2 22,2 22,2 22,2 22,2 22,8 22,8 Load Box Length - Floor mm 2353 2353 2353 2353 2353 2353 Load Box Length - Top mm 2311 2311 2311 2311 2311 2311 2311 Load Box Width - Floor mm 1560 1560 1560 1560 1560 1560 | Turning Circle (Kerb to Kerb) | m | 6,0 | 6,0 | 6,0 | 6,0 | 6,0 | 6,0 |
| Ramp Break-Over Angle Degrees 22,2 22,2 22,2 22,2 22,2 22,8 22,8 Load Box Length - Floor mm 2353 | Approach Angle | Degrees | 30,7 | 30,7 | 30,7 | 30,7 | 31,8 | 31,8 |
| Load Box Length - Floor mm 2353 2353 2353 2353 2353 2353 2353 Load Box Length - Top mm 2311 | Departure Angle | Degrees | 26,6 | 26,6 | 26,6 | 26,6 | 26,3 | 26,3 |
| Load Box Length - Top mm 2311 </td <td>Ramp Break-Over Angle</td> <td>Degrees</td> <td>22,2</td> <td>22,2</td> <td>22,2</td> <td>22,2</td> <td>22,8</td> <td>22,8</td> | Ramp Break-Over Angle | Degrees | 22,2 | 22,2 | 22,2 | 22,2 | 22,8 | 22,8 |
| Load Box Width - Floor mm 1560 1560 1560 1560 1560 | Load Box Length - Floor | mm | 2353 | 2353 | 2353 | 2353 | 2353 | 2353 |
| | Load Box Length - Top | mm | 2311 | 2311 | 2311 | 2311 | 2311 | 2311 |
| Load Box Width - Top mm 1552 1552 1552 1552 1552 1552 1552 | Load Box Width - Floor | mm | 1560 | 1560 | 1560 | 1560 | 1560 | 1560 |
| | Load Box Width - Top | mm | 1552 | 1552 | 1552 | 1552 | 1552 | 1552 |

Nissan Navara - 2 & 4 Wheel Drive

Specifications & Features

| MODEL - Single Cab | | 2.5i XE 4X2 MT | 2.5i XE Plus 4X2 MT | 2.5D XE 4X2 MT | 2.5D XE Plus 4X2 MT | 2.5D XE 4X4 MT | 2.5D XE Plus 4X4 MT |
|---|----|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| DIMENSIONS (Continued) | | | | | | | |
| Load Box Width - Between Wheel Arches | mm | 1134 | 1134 | 1134 | 1134 | 1134 | 1134 |
| Load Box Width - Tailgate Opening | mm | 1360 | 1360 | 1360 | 1360 | 1360 | 1360 |
| Load Box Height | mm | 472 | 472 | 472 | 472 | 472 | 472 |
| Wading Depth | mm | 600 | 600 | 600 | 600 | 600 | 600 |
| WHEELS & TYRES | | | | | | | |
| Wheel Size and Type | | 16" Steel |
| Tyre | | 205/R16 AT |
| Spare Wheel | | Full Size Steel |
| Spare Wheel Lock | | Option | Option | Option | Option | Option | Option |
| EXTERIOR | | | | | | | |
| Grill | | Black | Black | Black | Black | Black | Black |
| Front Bumper | | Black | Black | Black | Black | Black | Black |
| Side-Door Mirror Finish | | Black | Black | Black | Black | Black | Black |
| Side-Door Mirrors | | Manual Adjustment + Manual Fold |
| External Door Handles | | Black | Black | Black | Black | Black | Black |
| Front and Rear Mud Flaps | | Std | Std | Std | Std | Std | Std |
| Front Towing Hook | | Std | Std | Std | Std | Std | Std |
| Headlights | | Halogen | Halogen | Halogen | Halogen | Halogen | Halogen |
| Fog Lights | | - | - | - | - | - | - |
| COMFORT & CONVENIENCE | | | | | | | |
| Seating Capacity | | 2 | 2 | 2 | 2 | 2 | 2 |
| Front Seat Type | | Separate seat |
| Driver Seat Adjustment | | 4-Way Manual | 6-Way Manual | 4-Way Manual | 6-Way Manual | 4-Way Manual | 6-Way Manual |
| Passenger Seat Adjustment | | 2-Way Manual | 4-Way Manual | 2-Way Manual | 4-Way Manual | 2-Way Manual | 4-Way Manual |
| Seat Upholstery | | Vinyl | Fabric | Vinyl | Fabric | Vinyl | Fabric |
| Floor Material | | Vinyl | Carpet | Vinyl | Carpet | Vinyl | Carpet |
| Front Cup Holders | | 2 | 2 | 2 | 2 | 2 | 2 |
| Front Door Storage Pockets and Bottle Holder | | 2 | 2 | 2 | 2 | 2 | 2 |
| Sunglass Holder | | - | - | - | - | - | - |
| 12V Outlet Inside Cabin | | 1 | 2 | 1 | 2 | 1 | 2 |
| USB Port | | - | - | - | - | - | - |
| Air-Conditioning | | Std | Std | Std | Std | Std | Std |
| Manual Windows | | Std | Std | Std | Std | Std | Std |
| Power Windows with Driver Auto Up/ Down Button | | - | - | - | - | - | - |
| Rear Screen | | Fixed | Fixed | Fixed | Fixed | Fixed | Fixed |
| Auto Dimming Rear View Mirror | | - | - | - | - | - | - |
| Manual Dimming Rear View Mirror | | Std | Std | Std | Std | Std | Std |
| AUDIO & CONNECTIVITY | | | | | | | |
| Without Audio Head Unit (With Pre-Wire) | | Std | Std | Std | Std | Std | Std |
| SAFETY & SECURITY | | | | | | | |
| Driver and Front Passenger Airbags | | Std | Std | Std | Std | Std | Std |
| Side Airbags | | - | Std | - | Std | - | Std |
| | | | | | | | |

Nissan Navara - 2 & 4 Wheel Drive

Specifications & Features

| MODEL - Single Cab | 2.5i XE 4X2 MT | 2.5i XE Plus 4X2 MT | 2.5D XE 4X2 MT | 2.5D XE Plus 4X2 MT | 2.5D XE 4X4 MT | 2.5D XE Plus 4X4 MT |
|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| SAFETY & SECURITY (Continued) | | | | | | |
| Curtain Airbags | - | Std | - | Std | - | Std |
| Driver Knee Airbag | - | Std | - | Std | - | Std |
| Front Seat Belts 3-Point ELR with Pre- Tensioner, Load Limiter and Seatbelt Reminder | Std | Std | Std | Std | Std | Std |
| ISOFIX Child Seat Anchorage | - | - | - | - | - | - |
| Immobiliser | Std | Std | Std | Std | Std | Std |
| Alarm | - | - | - | - | - | - |
| Anti-Lock Braking System (ABS) | Std | Std | Std | Std | Std | Std |
| Electronic Brake Force Distribution (EBD) | Std | Std | Std | Std | Std | Std |
| Brake Assist (BA) | Std | Std | Std | Std | Std | Std |
| Vehicle Dynamic Control (VDC) | - | Std | - | Std | - | Std |
| Trailer Stability Assist (TSA) | - | Std | - | Std | - | Std |
| Hill Start Assist (HSA) | - | Std | - | Std | - | Std |
| Hill Descent Control (HDC) | = | - | - | - | - | Std |
| Front Brakes - Ventilated Discs | Std | Std | Std | Std | Std | Std |
| Rear Brakes - Drum | Std | Std | Std | Std | Std | Std |
| Windscreen Wipers | Variable Intermittent |
| SERVICE | | | | | | |
| Service Interval | 5,000 km |

FEATURES AND SPECIFICATIONS ARE SUBJECT TO CHANGE DEPENDING ON MARKET AND GRADE. PLEASE CONSULT YOUR LOCAL NISSAN DEALERSHIP FOR MORE INFORMATION.



AT NISSAN WE KEEP OUR PROMISES AND TAKE CARE OF OUR FAMILY

Servicing and repairing your Nissan at an authorised Nissan dealership is the way to go. Our Nissan technicians are highly trained specialists that know your Nissan better than anyone. They will use Genuine Nissan Parts, Genuine Nissan Accessories to ensure quality, reliability and to keep your vehicle performing to optimum standards. Nissan aims to keep you and your vehicle on the road with total peace of mind - for as long as possible. That is the Nissan Aftersales commitment.

Nissan's commitment to quality: To provide all customers with a consistently high level of quality, Nissan applies the same standards worldwide, to ensure that all Nissan owners enjoy peace of mind for the lives of their vehicles. The approach is based on quality from the customer's perspective on three key elements: First, the expectation of a smooth driving experience with complete peace of mind. Second, the intangible appeal of a vehicle, its power to captivate and excite, with features that capture attention and imagination. Third, the level of attentiveness and service during the sales process, and long after the sale is concluded.

Legal notice: Every effort has been made to ensure that the contents of this brochure is correct at the time of going to print (October 2021). This brochure may be produced featuring prototype or accessorised vehicles exhibited at motorshows and in accordance with the company's policy of continuously improving its products. Nissan South Africa reserves the right to change the specifications and the vehicles described and shown in this brochure at any time. Nissan dealers will be informed of any such modifications as quickly as possible. Please check with your local Nissan dealer to receive the most up-to-date information. Due to the limitations of the printing process used, the colours shown in this brochure may differ slightly from the actual colours of the paint and interior trim material used. All rights reserved. Reproduction in whole or part of this brochure without the written permission from Nissan is forbidden.



Nissan's commitment to the environment

Nissan's environmental philosophy embraces people, vehicles and nature. In the pursuit of a sustainable mobile society, the Nissan Green Program aims to reduce the environmental impact of Nissan vehicles at every stage of the vehicle life cycle, while corporate activities address environmental challenges.



Nissan Intelligent Mobility moves you one step ahead. In cars that feel like an extension of you, helping you see more and sense more, reacting with you, and sometimes even for you. Nissan Intelligent Mobility is about a better future - moving us to a world that's safer, more sustainable, and exciting.

